Switch to powerful, affordable electric Switch to expandable input power to fit your budget Switch to one outboard that does it all Switch to.....



SWITCH

Stealth Switch

AII Electric Outboard

Powerful, Affordable, Versatile

Choose from Battery Voltages ranging from 24V to 96V to fit your budget



About The Stealth Switch

The Stealth Switch does what no other electric outboard does by giving you a choice in battery voltage from 24V to 96V with the same outboard. This helps to you to stay in your budget, while giving you the option to increase power later by simply adding more batteries to make higher voltages up to 96 volt.

The Stealth Switch starts out life as a brand new 4 stroke outboard without the power head, supplied by a Yamaha competitor.

All the components on this outboard, with the exception of the all electric power head, can be replaced with parts from a local Yamaha Marine dealer.

The Stealth Switch is powerful enough to plane boats with an average package weight of up to 1,250 pounds.

The Stealth Switch available in tiller or remote control, long shaft or short shaft.



It's All About The Chemistry!

We chose Lithium Nickel Manganese Cobalt Oxide (LiNiMnCoO2), more commonly known as NMC, as our battery chemistry of choice. The short explanation as to why is that it is the best combination of power, weight, size and price.



For the Stealth Switch, we provide complete plug and play battery systems that include a battery pack and active cell balancing in an IP67 water resistant case, charger and state of charge meter. We also include all needed cables, including snap together quick connects. Installation is fast and easy. We have everything you need to hit the water.



We Provide A Complete Solution

The Stealth Throttle controls speed and direction with a single lever action with these great features:

- •Single lever speed and direction control by wire. No more steel cables to adjust!
- •16-foot Throttle Cable
- Kill Switch
- Locking Neutral Position



Stealth Battery Connection Kit and Battery Monitor

- •6ft Battery Connection Harness to connect your batteries to your Stealth Electric Outboard.
- •Battery monitor to calculate ampere-hours consumed and the state of charge of a battery.



Stealth Lithium-Ion Battery Chargers

- •Input Voltage AC: 90-265 VAC
- •Power: 480W

(Faster charging options available)



Stealth Lithium-Ion NCM Battery

48V/120Ah With Smart BMS Standard. Series connection compatible up to 96V.



Specifications:

CONTINUOUS POWER
VOLTAGE
CURRENT
MOTOR TYPE
COOLING SYSTEM
CONTROL
THROTTLE
GEAR RATIO
TRIM & TILT
PROPELLER
WEIGHT
TRANSOM HEIGHT, SHORT
TRANSOM HEIGHT, LONG

6/12/25 HP
24/48/96 VDC
180 AMPS
PMAC
WATER COOLED
REMOTE AND TILLER
SIDE MOUNT, 16' CABLE
2.08:1
MANUAL TILT
3- 9.25 X 11"
111 LBS
16.7"
21.7"





Stealth Electric Outboards 713-391-6550 www.stealthelectricoutboards.com